Laborator 1

2022/2023

Programarea aplicațiilor web



- Programarea aplicațiilor web
 - An V RC
 - 1.5C/1L/1P

Program

An V

- Saptamana 1
 - Luni 17-20 Curs (Intro/HTML/CSS)
- Saptamanile 2-8
 - Luni 16(17)-18 Curs
 - Luni 18-20 Laborator
- Saptamanile 9-14
 - Luni 16(17)-18 Curs
 - Luni 18-20 Proiect

Orar

https://orar.etti.tuiasi.ro/ : C->16(17), L/P -> 18

ETT	1	FACULTA	TEA DE E	LECTRON	IICA, TELE		CATII SI TE	EHNOLOGI	A INFORM	MATIEI		
	1 8:00 - 8:50	2 9:00 - 9:50	3 10:00 - 10:50	<mark>4</mark> 11:00 - 11:50	5 12:00 - 12:50	<mark>6</mark> 13:00 - 13:50	7 14:00 - 14:50	8 15:00 - 15:50	9 16:00 - 16:50	10 17:00 - 17:50	11 18:00 - 18:50	<mark>12</mark> 19:00 - 19:50
п										2.13	PAW (B TC (R)	Damian R. (C)
L									PA 2.13 TC (Damian R. AW (P) _{R)}	P/ 2.13 TC	Damian R. AW (L)
Ма								C1	RCALSC	Scripcariu L. C(C)	RC/	Scripcariu L. ALSC (L)
Mi								Casian-Botez I. Etic (C) P8 (Amf.)	Casian-Botez I. Etic (S) P6 (Amf.)	CI5	TE 3.25 TTI Alec POO ((Corp C)	Trifina L. EFO (L) (L) sandrescu I. (L)
J									PC P2 (Amf	Sirbu A. DO (C) ^(.)	ТЕ 3.25 ТТІ	Trifina L. FO (L)
V										3.25	TEFO 5 TTI (L)	Trifina L. (C)

Nota

An V 33% E 66% Aplicatii 33% L 33% P

Acces

Personalizat

			Date:						
	-	1. 22	Grupa	5304 (2015/2016)				
	STREET, STREET		Specializarea Tehnologii si siste			eme de telecomunicat			
			Marca	5184					
ote obt	ca ac	est student					_		
ote obt	ca ac Tip	est student	Descriere		Nota	Puncte	Obs.		
ote obt visciplina TW	ca ac Tip Teh	est student Conta Nologii Web	Descriere		Nota	Puncte	Obs.		
ote obt visciplina TW	ca ac intr Tip Teh N	est student C Data nologii Web 17/01/2014	Descriere Nota finala		Nota 10	Puncte	Obs.		
ote obt iisciplina TW	ca ac Tip Teh N A	est student Data nologii Web 17/01/2014 17/01/2014	Descriere Nota finala Colocviu Tehnologii	Web 2013/2014	Nota 10 10	Puncte - 7.55	Obs.		
ote obt isciplina TW	ca ac Tip Teh N A B	est student C Data nologii Web 17/01/2014 17/01/2014 17/01/2014	Descriere Nota finala Colocviu Tehnologii Laborator Tehnologi	Web 2013/2014 ii Web 2013/2014	Nota 10 10 9	Puncte - 7.55 -	Obs.		



Online

acces la examene necesita parola primita prin email





Online

acces email/parola



Parola

primita prin email

Important message from RF-OPTO

Radu-Florin Damian

to me, POPESCU 💌

ズ Romanian → > English → Translate message



Laboratorul de Microunde si Optoelectronica Facultatea de Electronica, Telecomunicatii si Tehnologia Informatiei Universitatea Tehnica "Gh. Asachi" Iasi

In atentia: POPESCU GOPO ION

Parola pentru a accesa examenele pe server-ul rf-opto este Parola:

Identificati-va pe server, cu parola, cat mai rapid, pentru confirmare.

Memorati acest mesaj intr-un loc sigur, pentru utilizare ulterioara

Attention: POPESCU GOPO ION

The password to access the exams on the rf-opto server is Password:

Login to the server, with this password, as soon as possible, for confirmation.

Save this message in a safe place for later use

Reply

🗮 Reply all 🔹 🗰 Forward





Laboratorul de Microunde si Optoelectronica Facultatea de Electronica, Telecomunicatii si Tehnologia Informatiei Universitatea Tehnica "Gh. Asachi" Iasi

In atentia: POPESCU GOPO ION

Parola pentru a accesa examenele pe server-ul **rf-opto** este Parola:

Identificati-va pe server, cu parola, cat mai rapid, pentru confirmare.

Memorati acest mesaj intr-un loc sigur, pentru utilizare ulterioara

Attention: POPESCU GOPO ION

The password to access the exams on the **rf-opto** server is Password:

Login to the server, with this password, as soon as possible, for confirmation.

Save this message in a safe place for later use

Manual examen online

- Aplicatia de examen online utilizata intens la:
 - curs (prezenta)
 - Iaborator
 - proiect
 - examen



Examen online

intotdeauna contratimp

- perioada lunga (prezenta curs/rezultate laborator)
- perioada scurta (teste: 15min, examen: 2h)

	Start Didactic	Master Colectiv	Cercetare	<u>Studenti</u>			
21	Note Lista Studenti	<u>Examene</u> Fotografii					
4	Anunț 17:28 (29/04/2020)	Material suport 17:30 (29/04/2020)	Subiecte 17:32 (29/04/2020)	Rezultate 17:35 (29/04/2020)	Finalizare 17:45 (29/04/2020)	Confirmare 17:45 (30/04/2020)	ormatorul interval de timp in. 01 m 08 s <u>Reincarca acum</u>
4	nunț						
Ir	acest examen se verifica dive	rse actiuni ale studentilor pen	tru examen				
C)ra pe server						
	bate examenele sunt bazacon 9/04/2020 17:28:51	fusul orar al server-ului (ar p	utea sa fie diferit de tin	npul local). Pentru referinta ora	a pe server este acum:		

Nota

An V

- 33% E
- 33% L
- 33% P
- Laborator Prezenta
 - _ 1pz = 1p (p>5 ← → Curs)
- Examen
 - Prezenta la curs: 3pz = 0.5p
 - Asemanator cu materia de proiect
- Activitate suplimentara
 - Dupa terminarea activitatii la laborator
 - +1p la E/L

Examen

- probleme
- fiecare student are subject propriu
- toate materialele permise
- tehnica de calcul nu este necesara dar este permisa

Examen

- Oricare din temele de proiect (sau asemanatoare) poate constitui una din problemele de examen
 - se va cere realizarea planului / structurii logice a aplicatiei
- Se poate cere scrierea unui cod pentru realizarea anumitor operatii, fara necesitatea corectitudinii tehnice absolute (";", nume corect al functiilor, parametri functie etc.)
- Se poate cere interpretarea unui cod php/MySql cu identificarea efectului

Laborator 1

Aplicatii

🚖 Favorites	🟉 BCC e-SMART		🐴 🔻 🗟 👻 🖃 🖶 👻 Page 🔻 Safety 👻 Tools 👻 🔞 👻
		BANCA COMERCIALA CARPATICA BCC e-SM internet banking inteligent	ART
		Conturi Plati Depozite Rapoarte Setari Ajuror 🤄	Deconectare 😒
		ATENTIEI Va reamintim ca BCC nu solicita informatii confidentiale (usar parola, numar de card, data expirarii cardului, codul Aceste informatii nu trebuie d'ivulgate nimanui, sub niciun motiv. Pentru alke lamuriri, puteti apela 0600.807.807 (numar accesibil din reteaua Romtelecom). Aveti posibilitatea sa alegeti procesarea in regim de urgenta a platilor. Aceasta optiune se comisioneaza su	PIN) prin e-mail. plimentar.
		Rulare raport Raport Ruleaza raportul mediat	
		la data 03.03.2010 ora 23:59 Ruleaza € top	

Aplicatii

🚖 Favorites	Ś	www.bcr.ro								6) • 🖸 • 🖃 🖷	n ▼ Page ▼ S	afety 🔻 Tools 🔻	•
						Home	Contact	English	Contact center 💌	Go	Cauta	Go	_	
		BCR	CLICK 24Banking	24 Banking	Persoane fizice	Private banki	ing Tineri PFA	Micro	Corporatii IMM I	Municipalit	ati Despre noi Ca	ariere Presa		
			-		Lista de cont	uri Conturi	curente Econor	misire Fin	antare					
		Stimute Domn		📧 Ord	in de Plata - C	reare					🖂 In	trebari/Sugestii		
		ty CLICK	24Banking								03.03.2010 14:2	4:03 🛃 Help		
			Logout	Stare cont	Tip		Numa	ar cont			Sold disponibil	Valuta		
		Favorite	I	Activ	Conturi curente							RON		
		 Ordin de Pl Istoricul trai Lista ordina 	ata nzactiilor ude plata	Detalii	ŧ					Г				
		Sabloane	de plata	Sablor	i personal furpizor	Se	lectati sabion lectati sabion				-			
		 Plata repeti Schimb Val 	tiva utar	IBAN b	eneficiar									
		S 😭 Cumpar	a produse								Verifica	ITE IBAN		
		 Describe Constituir termen Deschide economii 	re cont de	Nota: Pentru Atentie	a ordona o plata, v : Transferurile se	a rugam fie s pot efectua	a introduceti IBAN doar catre contur	beneficiar, f i deschise i	ie sa selectati un sa n aceeasi valuta!	blon perso	onal sau pentru furniz	ori.		
		 Cumpara Ataseaza Aplica penti Curs valuta Mesaje(4) Contul meu 24Banking Demo Click 	re CDD card de debit u un credit r de CLICK (Favorite) .24 Banking	%	Tarife si comisioane	?? ?	Intrebari si Raspunsur	2	24 Banking) alii				
		Al	eti mesaje noi D Citire									tact center		
		BANCA COMERCIAL	A ROMANA - SOCIETAT	E ADMINISTRATA	IN SISTEM DUALIST	, Bucuresti, B-c	du <mark>l Regina Elisabeta</mark>	nr.5, Sector 3	∥ mentiuni legale - © 2	008 BCR S	A – Toste drepturile reze	rvate site map		

Client/Server Scripting



Client/Server Scripting



Necesitate

and which the Handward Halts affects

```
<?php echo $row['Documente'];?>&nbsp;
      <?php echo $row['user creat'];?>&nbsp;
      <a href="control lot.php?id=-<?php echo $row['ID LOT'];?>">dezactiveaza</a><br /><a href=
"control lot.php?id=<?php echc $row['ID LOT'];?>">modifica</a>
   <?php $index++;
   } while ( $row = mysql fetch assoc($result)); ?>
<?php
else
   echo "Nu exista loturi active";
?>
Loturi inactive
<?php
$query = "SELECT 1.*, c.`nume user` AS `user creat`
      FROM 'lot' AS 1
      LEFT JOIN 'users' AS c ON (1. 'User'=c.'id user')
      WHERE 1. Activ = 0 ORDER BY 1. ID LOT DESC";
$result = mysql query($query);
$total=0;
if ($result && (mysql num rows($result) > 0))
   $total=mysql num rows($result);
   $row = mysql fetch assoc($result);
if ($total>0)
{?>
20
```

Necesitate

E:\Documents\Pagini Web\Safir dep\lista_lot.php - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
2 🛃 🖶 🖕 3 🕼 4 🐘 👘 1 🤉 ⊄ 1 # 🎭 🔍 🤫 1 💁 5 1 📰 🖾 2 🖉 🖘 3 📰 2 🖉 1 📰 2 💌 1
🔚 logiile php 🔀 🔚 lista_lot.php 🔀
539 - php }?
540
541 = div id="maincontent"> InstanceBeginEditable name="Continut"
542 = Adauga >
543 - Lot nou
544 Loturi active
545 (?php
546 \$query = "SELECT 1.*, c.`nume_user` AS 'user_creat'
547 FROM 'lot' AS 1
548 LEFT JOIN 'users' AS c ON (1.'User'=c.'id_user')
549 WHERE 1. 'Activ' <> 0 ORDER BY 1. 'ID_LOT' DESC";
<pre>550 \$result = mysql_query(\$query);</pre>
551 \$total=0;
<pre>552 if (\$result && (mysql_num_rows(\$result) > 0))</pre>
553 户 (
<pre>554 \$total=mysql_num_rows(\$result);</pre>
<pre>\$55 \$row = mysql_fetch_assoc(\$result);</pre>
556 - }
557 if (\$total>0)
558 (?>
559 E
560 H dtr class="lista_titlu">
561 Nr.
562 Numar
563 Data
564 Nr. pui//td>
565 Gr. pul
566 Nr. pul mortl
56/ Gr. pul morti
568 rema
369 <cd>Jocumente</cd>
3/0 Ctd>Creat
Side Side Side Side Side Side Side Side
STA
Side cited alignerigenter "Schen endo Sinder" (2) chen side cited cited instruction (1)
577
578
579
580
581
582
583 php echo \$row['Ferma'];? snbsp;
584 php echo \$row['Documente'];? snbsp;



584

<?php echo \$row['Documente']; ?>

E E	\Documents\Pagini Web\Safir dep\lista_lot.php - Notepad++	
File	Edit Search View Encoding Language Settings Tools Macro Run Plugins Win	
0 E	} 🗄 🖻 🗟 🕼 & 🛍 🎦 ⊃ ⊂ 🃾 🧏 🤏 🖓 🖫 🖬 🎼 🛛	
🔚 log	ile.php 😢 🔚 lista_lot.php 🖸	
539 540 541 542 543	<pre>-<?php }?> -<div id="maincontent"><!-- InstanceBeginEditable name="Conti -<p-->Adauga br/>- Lot non</div></pre>	
544 545 546 547	<pre>Loturi active </pre> <pre>class="title">Loturi active \$query = "SELECT 1.*, c.`nume_user` AS `user_creat` FROM `lot` AS 1</pre>	
548 549 550	LEFT JOIN 'users' AS c ON (l.'User'=c.'id_user') WHERE 1.'Activ' <> 0 ORDER BY 1.'ID_LOT' DESC"; \$result = mysql_query(\$query);	
551 552 553 554	<pre>\$total=0; if (\$result && (mysql_num_rows(\$result) > 0)) { \$total=mysql_num_rows(\$result); \$row = musql_fetch assoc(\$result);</pre>	ble align="center">
556 557 558	<pre>if (Stotal>0) { (></pre>	tr class="lista_titlu">
560 561 561	<pre>ctable align="center"> ctable align="cen</pre>	Nr.
563 564 565	Data Data	Numar
566 568 569	<pre>> bui meter//td> >Gr. pui morti//td> > fui morti/td> > f</pre>	Data
570 571 572	Creat	Nr. pui
573 574 575	<pre> <?php \$index=1; do { ?> </pre>	Gr. pui
576 577 578 579 580 581	php echo \$index; ? ?php echo \$row['Numar'];?> ?php echo \$row['Numar'];?> ?php echo \$row['Pui'];?> ?php echo \$row['Pui'];?> ?php echo \$row['Pui'];?> ?php echo \$row['Pui'];?> ?php echo \$row['Pui'];?>	
502	<pre>ctd>c2php echo \$row['Greutate morth'];?> </pre>	22

HTML + PHP

E:\Documents\Pagini Web\Safir dep\lista_lot.php - Notepad++

File E	dit Search View Encoding Language Settings	Fools Macro Run Plugins Window ?
6	H & B & A & M & Y & K & K & K & K & K & K & K & K & K	
🔚 logfile	php 🔀 🔚 lista_lot.php 🔀	
539	- php }?	
540		
541	- <div id="maincontent"><!-- Instance</td--><td><pre>3eginEditable name="Continut"></pre></td></div>	<pre>3eginEditable name="Continut"></pre>
542	□ Adauga<td></td>	
543	<pre>- Lo:</pre>	: nou
544	<pre>class="title">Loturi active</pre>	
546	Squary = "SFIFCT 1 * c 'nume user'	As 'Heat creat'
547	FROM 'lot' AS 1	
548	LEFT JOIN 'users' AS c ON (L'User'=c.'id user')
549	WHERE 1. 'Activ' <> 0 ORDER 1	AY 1. ID LOT DESC":
550	Sresult = mysgl guery(Squery);	
551	<pre>\$total=0;</pre>	
552	if (\$result && (mysql num rows(\$rest	alt) > 0))
553		
554	<pre>\$total=mysql_num_rows(\$result);</pre>	
555	<pre>\$row = mysql_fetch_assoc(\$result</pre>	5) ;
556		
557	if (\$total>0)	<pre>str class="""""""""""""""""""""""""""""""""""</pre>
558	{?>	(indexs2) echo insta_impar ; erse echo insta_p
559	<pre>leading="center"></pre>	php echo Sindex: ? &phsn:
560	<pre>class="lista_titlu"></pre>	(tu align- center >(.) php cent yindex, ambbp, () tu
561	Nr.	php echo Srow['Numar'];?
562	Numar	
503	(td) Va and (td)	php echo date("d/m/Y", strtotime(\$row['Data']));? <
505		(td) (2mbn ache Snout[] Duil] + 22 (mban (/td)
566	Nr pui mortis/td>	<u><td< td=""></td<></u>
567	Gr. pui morti	php echo Srow['Greutate']:? Ephsp.
568	Ferma	cease.php cond prowl dreatate 17.2 and proveds
569	Documente	Atd Andre ale Consell Due Mantelle A cohone (/td)
570	Creat	
571	Comenzi	
572	-	
573	<pre> <?php \$index=1; </pre></pre>	
574	do { ?>	
575	Class=" php if (\$index%2) ed</td <td>10 "lista_impar"; else echo "lista_ir";</td>	10 "lista_impar"; else echo "lista_ir";
576	php echo \$:</td <td>index; ?> </td>	index; ?>
577	php echo \$row['Numar'</td <td>;;?> </td>	;;?>
578	<:td><:php echo date("d/m/Y")	<pre>, strtotime(\$row['Data']));?>chop;</pre>
579	<: php ecno - from[] Dui]]	
580		
281		JELE 1; ; * ADDED; < / La>
583		
584		
~~~	COLVER CONCE VION DOCUM	

#### HTML + PHP + SQL

E:\Documents\Pagini Web\Safir dep\lista_lot.php - Notepad++																			
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?																			
· · · · · · · · · · · · · · · · · · ·																			
🔚 logfile php 🔀 🔚 lista_lot.php 🖾																			
<pre>539 -<?php }?> 540 541 =<div id="maincontent"><!-- InstanceBeginEditable name="Continut": 542 =<p--><span class="title">Adauga</span> br/&gt; 543 - <a href="control_lot.php?id=0">Lot nou</a> 544 Loturi active 545 =<?php 546 \$cmery = "SELECT 1.*, c.`nume_user` AS `user_creat` 547 FROM `lot` AS 1 548 LEFT JOIN `users` AS c ON (1.`User`=c.`id_user`) 546 \$cmery = "Select 1.*, c.`nume_user` AS `user_creat` 547 FROM `lot` AS 1 548 LEFT JOIN `users` AS c ON (1.`User`=c.`id_user`) 544 Select 1.*, c.`nume_user` AS `user_creat`</pre></div></pre>																			
550 Srewelt = mysgl guery(Squery):	a< : bub																		
<pre>551 \$total=0;</pre>	<b>\$query = "</b> SELECT 1.*, c.`nume user` AS `user creat`																		
552 if (\$result && (mysql num rows(\$result) > 0))	FPOM lot AS 1																		
553 🛱 {	FROM LOU AS I																		
554 \$total=mysql_num_rows(\$result);	LEFT JOIN `users` AS c ON (l.`User`=c.`id user`)																		
<pre>555 \$row = mysql_fetch_assoc(\$result);</pre>	MUEDE 1 'Activ' <> 0 ODDED BY 1 'ID LOT' DESC".																		
	WHERE I. ACCIV <> 0 ORDER BI I. ID_LOI DESC ;																		
SS/ II (\$total>U)	<pre>\$\Sresult = mysql guery(\$\Squery);</pre>																		
550 H(table align="genter")																			
560 A dtr class="lista titlu">	<pre>\$total=0;</pre>																		
561 Nr.	if $(\text{Sresult &} (\text{mysgl num rows}(\text{Sresult}) > 0))$																		
562 Numar	II (Globale an (myoqi nam loub Globale) > 0/)																		
563 Data																			
564 Nr. pui	stotal-mused num rous (srocult).																		
565 Gr. pui	fullar-mysqr_num_rows(fresure),																		
566 Nr. pui morti	<pre>\$row = mysql fetch assoc(\$result);</pre>																		
567 Gr. pui morti																			
568 Ferma	- }																		
569 Documente																			
570 Creat																			
571 Comenzi																			
575 Crphp Sindex-1;																			
575 - <tr "list<="" adbo="" also="" class="/2mbm if (Cindex%2) adbo" immer":="" lists="" th=""><th></th></tr> <tr><th>576 &lt;2nhn egho Sinder: 2&gt;6nhs:</th><th></th></tr> <tr><th>577 (td&gt;<?php echo \$row['Numar']:?> :</th><th></th></tr> <tr><th>578 <?php echo date("d/m/Y", strtotime(\$row['Data']));?>&amp;nb</th><th></th></tr> <tr><th>579 <?php echo \$row['Pui'];?> </th><th></th></tr> <tr><th>580 <?php echo \$row['Greutate'];?> </th><th></th></tr> <tr><th>581 &gt;<?php echo \$row['Pui Morti'];?> </th><th></th></tr> <tr><th>582 <?php echo \$row['Greutate Morti'];?> </th><th></th></tr> <tr><th>583 <?php echo \$row['Ferma'];?> </th><th>24</th></tr> <tr><th>584 <?php echo \$row['Documente'];?> </th><th></th></tr>		576 <2nhn egho Sinder: 2>6nhs:		577 (td> php echo \$row['Numar']:? :		578 php echo date("d/m/Y", strtotime(\$row['Data']));? &nb		579 php echo \$row['Pui'];?		580 php echo \$row['Greutate'];?		581 > php echo \$row['Pui Morti'];?		582 php echo \$row['Greutate Morti'];?		583 php echo \$row['Ferma'];?	24	584 php echo \$row['Documente'];?	
576 <2nhn egho Sinder: 2>6nhs:																			
577 (td> php echo \$row['Numar']:? :																			
578 php echo date("d/m/Y", strtotime(\$row['Data']));? &nb																			
579 php echo \$row['Pui'];?																			
580 php echo \$row['Greutate'];?																			
581 > php echo \$row['Pui Morti'];?																			
582 php echo \$row['Greutate Morti'];?																			
583 php echo \$row['Ferma'];?	24																		
584 php echo \$row['Documente'];?																			

- Implementarea unui server de dezvoltare aplicatii web
  - Se pune la punct VMWare Player (versiunea curenta pentru sistemul de operare pe care il aveti la dispozitie)
     Web Applications Design

Course: PAW (2020-2021)

Course Coordinator: Assoc.P. Dr. Radu-Florin Damian Code: RC.IA.108 Discipline Type: DIMS; Required, Synthesis Credits: 5 Enrollment Year: 5, Sem. 10



- VMware Workstation Player
  - Gratuit (non-comercial)
  - <u>https://www.vmware.com/products/workstation-player/workstation-player-evaluation.html</u>



- Implementarea unui server de dezvoltare aplicatii web
  - Se porneste de la un sistem de operare instalat
  - Win 2000



#### Server Win2k (lab1)

#### Cloud ETTI: RF-opto3#



#### Dezarhivare win 2k orig.7z

		<u> </u>		×
00:00:08	Total size:		5	157 MB
00:02:58	Speed:		2	7 MB/s
0	Processed:			220 MB
	Compressed size			
	00:00:08 00:02:58 0	00:00:08 Total size: 00:02:58 Speed: 0 Processed: Compressed size:	00:00:08 Total size: 00:02:58 Speed: 0 Processed: Compressed size:	





# Optiunea "I copied it" Probabil "no floppy" ^(C)

¹ layer ▼   ▶ ▼ 母 口 泡			<
Tmpaw - VMware Workstation 15 Pla	ayer X		
This size of an abian arises to	·		
	ive been moved or copied.		
In order to configure certain	management and		
this virtual machine was mov	red or copied.		
If you don't know answer "			
n you don't know, unside	and the second se		
I Moved It	Copied It Quncel		



#### Administrator: "masterrc"





#### "Dublu click" pe bara pentru (aproape) full screen

Tmpaw - VMware Workstation 15 Player (Non-commercial use only)	- 0 X
ayer A	
<u> </u>	
Documents	
Computer	
Network	
Places	
<b>3</b>	
cycle Bin	
nternet	
xplorer	

- Se urmeaza pasii din referatul de laborator pentru a crea un sistem WAMP
  - Apache ca server web,
  - MySql, ca server de baze de date
  - PHP, ca limbaj de procesare la nivelul server-ului
- Se urmareste nu atat instalarea aplicatiilor ci mai ales crearea legaturilor dintre ele

 Toate fisierele necesare (versiuni mai vechi compatibile cu Win2k) se gasesc in directorul C:\kit de pe masina Guest



- aflarea adresei IP a server-ului in reteaua locala pentru acces din "exterior"
  - ipconfig /all

	C:\WINDOWS\system32\cmd.exe
ļ	Microsoft Windows 2000 [Version 5.00.2195]
	(C) Capyright 1725-2000 Microsoft Corp.
	C >>ipconfig /all
	Windows 2000 IF configuration
	Host Name tmpaw-i4chk3t11
1	Primary DNS Suffix
	Node lype
	WINS Prove Enabled.
İ	DNS Suffix Search List : localdomain
	Ethernet adapter Local Area Connection:
	Connection-specific DNS Suffix . : localdomain
I	Description VMware Accelerated AMD PCNet
	Physical Address
	DHĆP Enabled Yes
Ì	Autoconfiguration Enabled
	IP Address
	Subnet Mask
	Default Galeway
	DNS Servers
	Primary WINS Server : 192.168.75.2
	Lease Öbtained : Tuesday, March 02, 2021 3:14
	Lease Expires

- Succesul operatiunilor realizate se poate observa:
  - Apache Service Monitor



 Succesul operatiunilor realizate se poate observa:

enablen

#### index.php cu php_info()

IDv6 Support

← → C ▲ Not secure 192.168.75.131

PHP Version 5.2.0	
	(pnp)
System	Windows NT TMPAW-I4CHK3TLL 5.0 build 2195
Build Date	Nov 2 2006 11:50:55
Configure Command	cscript /nologo configure.js "enable-snapshot-build" "with-gd=shared"
erver API	Apache 2.0 Handler
virtual Directory Support	enabled
Configuration File (php.ini) Rath	C:\PHP\php.ini
ΡΗΡΑΡΙ	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Buik	no

- Succesul operatiunilor realizate se poate observa:
  - test.php cu BD world

	Nr. C	od	Nume	Populatie
	1 A	FG	Afghanistan	22720000
	2 N	D	Netherlands	15864000
	3 A	NT	Netherlands Antilles	217000
	A	LB	Albania	3401200
	5 D	ZA	Algeria	31471000
	6 A	SM	American Samoa	68000
	7 A	ND	Andorra	78000
	8 A	GO	Angola	12878000
	9 A	IA	Anguilla	8000
	10 A	TG	Antigua and Barbuda	68000
	11 A	RE	United Arab Emirates	2441000
	12 A	RG	Argentina	37032000
	13 A	RM	Armenia	3520000
	1 A	BW	Aruba	103000
	15 A	US	Australia	18886000
	16 A	ZE	Azerbaijan	7754000
	17 B	HS	Dehamas	307000

 Prezenta si nota pentru activitatea de laborator se obtine numai prin completarea activitatii de examen online



- Prezenta si nota pentru activitatea de laborator se obtine numai prin completarea activitatii de examen online
  - perioada extinsa (1 saptamana)
  - necesar:
    - selfie
    - printscreen-uri cu functionarea MV

#### **Continuare laborator/proiect**

- server LAMP (L Linux)
- pre instalat/configurat
- pasii de instalare pe rf-opto

#### **Utilizare LAMP**



#### **Utilizare LAMP**

- diferente principale fata de server-ul Windows
  - comenzile in sistem greoaie
    - linie de comanda, SSH, Putty
  - fisierele sunt trimise prin FTP
    - Copy/Paste indisponibil
  - administrarea serverului MySql:
    - prin phpMyAdmin (instalat)
    - prin (eventuale) instrumente instalate pe masina host (MySQL Workbench)

## Utilizare LAMP – Avantaje

- Avantaje principale fata de server-ul Windows
  - Aplicatiile au versiuni actualizate (2022)
    - CentOS/7.1, Apache/2.4.6, PHP/5.4.16, MariaDB/5.5.44, PhpMyAdmin/4.4.15 ~
    - Ubuntu/20.04, Apache/ 2.4.41, PHP/ 7.4.3, MariaDB/ 10.3.31, PhpMyAdmin/4.9.5
  - Aplicatii disponibile similare celor intalnite in practica
    - SSH
    - FTP
    - Email ~
      - pentru utilizarea deplina a acestor aplicatii este utila trecerea interfetei de retea a masinii virtuale Host-only -> Bridged

#### rf-opto.etti.tuiasi.ro > Master > Web Design



#### Cloud ETTI: RF-opto3#



- Masina virtuala
- VMware Workstation Player
  - Gratuit (non-comercial)
  - https://www.vmware.com/products/workstationplayer/workstation-player-evaluation.html

😼 VMware Workstation 15 Player (Non-comme	cial use only)		
Player 🕶 📄 💌 📮 🕞 📉			
Home RF XP Professional PAW CentOS 64-bit	Welcom Worksta	to VMware ation 15 Player eate a New Virtual Mach	<b>ine</b>
Server CentOS 64-bit		top of your library. pen a Virtual Machine en an existing virtual machine, which w	vill then be added
	to t Get mar	he top of your library. Dgrade to VMware Works advanced features such as snapshots nagement, and more.	tation Pro s, virtual network
	? He	elp w online help.	
	Com Licer	s product is not licensed and is authori: Imercial use only. For commercial use, nse. <u>Buy now.</u>	zed for non- purchase a

## Aplicatii suport

- WinSCP (client FTP, gratuit)
  - <u>https://winscp.net/eng/download.php</u>
- Notepad ++ (editor, avansat, gratuit)
  - <u>https://notepad-plus-plus.org/downloads/</u>
- Putty (remote access)
  - <u>https://www.putty.org/</u>
- MySQL Workbench (gratuit, cont Oracle)
  - <u>https://www.mysql.com/products/workbench/</u>

#### Adresa IP

# login, ifconfigCtrl + Alt + mouse

📆 PAW CentOS 64-bit - VMware Workstation 15 Player (Non-commercial use only) CentOS Linux 7 (Core) Player ▼ | | ▼ 母 □ 汉 Kernel 3.10.0-229.20.1.el7.x86_64 on an x86_64 tmpaw login: root CentOS Linux 7 (Core) Kernel 3.10.0-229.20.1.el7.x86_64 on an x86_64 Password: Last login: Wed Jun 17 05:35:16 from 192.168.0.106 [root@tmpau ~]: ifconfig tmpaw log n: root Password: eno16777736: flags=4163<UP, BRQADCAST, RUNNING, MULTICAST> mtu 1500 Last login: Wed_<u>Jun_17_05</u>:35:16 from 192.168.0.106 inet 192.168.0.108 netmask 255.255.255.0 broadcast 192.168.0.255 [root@tmpaw /]# ifconfig inet6 fe80::250:5664 fe3e:1693 prefixlen 64 scopeid 0x20<link> ether 00.50:56:3e:16:93 txqueuelen 1000 (Ethernet) RX packets 104 bytes 12814 (12.5 KiB) RX errors 0 dropped 0 overruns 0 frame 0 TX packets 99 bytes 11847 (11.5 KiB) TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0 lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536 inet 127.0.0.1 netmask 255.0.0.0 inet6 ::1 prefixlen 128 scopeid 0x10<host> loop txqueuelen 0 (Local Loopback) RX packets 16 bytes 1774 (1.7 KiB) RX errors 0 dropped 0 overruns 0 frame 0 TX packets 16 bytes 1774 (1.7 KiB) TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0 [root@tmpaw ~]#

📆 PAW CentOS 64-bit - VMware Workstation 15 Plaver (Non-commercial use only)



#### putty.exe

#### evitare captura mouse, copy/paste etc.

🕵 PuTTY Configuration		>			
Category:			P root@tmpaw:~	1 <u>111</u> 1	×
E Session	Basic options for your Pu	TTY session	login as: root		~
Logging ⊡ Terminal <mark>K</mark> eyboard	Specify the destination you want to Host Name (or IP address)	Port	root@192.168.0.108's password: Last login: Wed Jun 17 05:34:04 2020 from 192.168.0.106 [root@tmpaw ~]#		
Bell Features Window	Connection type: Raw Telnet Rlogin	SSH O Serial			
Appearance Behaviour Translation	Load, save or delete a stored session Saved Sessions				
Selection	server paw				
Colours	Default Settings server paw	Load			
Data	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Save			
Telnet Rlogin		Delete			
tarial ⊡ SSH	Close window on exit: Always Never Only on clean exit				
About	Open	Cancel			~

#### WinSCP

## client FTP upload fisiere <a href="https://www.scp.org">https://www.scp.org</a>

opioualis	File Commands	Mark Session View Help		
•	Address 📙 /var/w	/ww/html		• 🚰 🔽 •
		🔽 🏫 Z 🔯 Find Files 🕼 Download 🗸 🖟	🗶 Edit 🔹 💼 🗶 🕞 Properties 🚜 📴 New 🕶	🛛 🧬 📴 Synchronize
	- × 👜 🗖 - 🗃 Qu	eue - 🕞 Transfer Settings Default	- <i>12</i> -	
Session	<b>student@192.1</b>	58.0.108 × 🚅 New Session		
File protocol:	✓	Name	Siz	e Changed Rights
	var	ap.log	1 <b>K</b> í	8 2/29/2016 11:28:50 AM rwx rwx
SEIP	V	tml	1 K!	B 9/30/2009 3:23:00 PM rw-rw-r
Host name: Por	rt number:	logfile.php	4 KI	B 12/6/2015 12:05:08 PM rw-rw-r
192, 168.0, 108	22	test.php	2 KI	8 2/29/2016 12:04:12 PM rw-rw-r
User name: Password:				
student	•••			
C dia				
Edit	anced			
Login 🔽 Close	Help			
				54
	O B OT 2.09 KB IN 0 OF	4		□ SFIP-3 ····· 1, 21:00:30

X

#### Browser

🍘 Laboratorul de Micround 🗙 🚱 Apache HTTP Server Test 🗴 🚱 Apache Error Log @ 192 🗙   🎪 192.168.0.108 / localhost 🗴   🕂	- 🗆	×
$\leftrightarrow$ $\rightarrow$ C $\textcircled{192.168.0.108}$	☆ 🗛	i i E
Testing 123.		
This page is used to test the proper operation of the Apache HTTP s	erver	
after it has been installed. If you can read this page it means that thi is working properly. This server is powered by CentOS.	s site	

#### Just visiting?

The website you just visited is either experiencing problems or is undergoing routine maintenance.

If you would like to let the administrators of this website know that you've seen this page instead of the page you expected, you should send them e-mail. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.

For example, if you experienced problems while visiting www.example.com, you should send e-mail to "webmaster@example.com".

#### Are you the Administrator?

You should add your website content to the directory  $/\mbox{var/www/html/}.$ 

To prevent this page from ever being used, follow the instructions in the file /etc/httpd/conf.d/welcome.conf.

#### Promoting Apache and CentOS

You are free to use the images below on Apache and CentOS Linux powered HTTP servers. Thanks for using Apache and CentOSI



#### Server MySQL/MariaDB

🍘 Laboratorul de Micround 🗙 🛛 🛇	Apache HTTP Server Test 🗴 S Apache Error Log @ 192. x 🎪 192.168.0.108 / localhost x + - 🗆 X
← → C ① Not secur	92.168.0.108/phpmyadmin/ PMAURL-5:index.php?db=&table=&server=1⌖=&token=f7dda12d42a1 😭 🔥 🗄
PhpMyAdmin	General Settings     General Settings     General Settings     Users ■ Users ■ Export ■ Import → Settings ▼ More      Databases server     Server: Localhost via UNIX socket     Server: Localhost via UNIX socket     Server connection collation      utf8mb4_unicode_ci ▼
● performance_schema ● tmpaw ● _ world	Appearance Settings         Appearance Settings         Image
	phpMyAdmin • Version information: 4.4.15.1 • Documentation • Wiki • Official Homepage • Contribute • Get support • List of changes

#### **Utilizare LAMP**

1. login → root:masterrc 2. if config  $\rightarrow$  192.168.30.5 3. putty.exe  $\rightarrow$  192.168.30.5  $\rightarrow$  SSH  $\rightarrow$ root:masterrc (remote login) 4. [alte comenzi linux dorite] 5. FTP  $\rightarrow$  Winscp  $\rightarrow$  SFTP  $\rightarrow$ student:masterrc@192.168.30.5 6. MySql  $\rightarrow$  http://192.168.30.5/phpmyadmin  $\rightarrow$  root:masterrc 7. Apache Error Log  $\rightarrow$ 7a. putty  $\rightarrow$  nano /var/log/httpd/error_log 7b. http://192.168.30.5/logfile.php (nonstandard) 8. PHP info  $\rightarrow$  http://192.168.30.5/info.php 9. daca serviciul DHCP duce la oprirea Apache: service httpd restart



#### Server referinta LAMP

#### Linux, doua variante

- Centos 7.1
  - PHP 5.4.16
  - MariaDB 5.5.44
  - Apache 2.4.6
  - root/student:masterrc
- Ubuntu 20.04
  - PHP 7.4.3
  - MariaDB 10.3.31
  - Apache 2.4.41
  - paw/student:masteretti
  - necesar suplimentar pentru acces FTP paw:
    - sudo usermod -a -G upload paw
    - sudo chmod -R 775 /var/www

#### Tema bonus

- logfile.php
  - Afiseaza log Apache (erori php majore)
- **2p suplimentar** la laborator/examen
- Modificare logfile.php pentru a afisa toate erorile PHP
  - php.ini activare erori
  - php.ini locatie erori
  - Iogfile.php afisare log PHP

#### ~Tema bonus Win2000

- se verifica in php.ini ca erorile sunt activate
  - error_reporting = E_ALL (linia 349)
- se activeaza in php scrierea erorilor in fisier
  - error_log = "C:\PHP\php.log" (linia 412)
- se recupereaza logfile php din sever-ul CentOS sau Ubuntu
- se schimba locatia log-ului Apache
  - \$log_file= 'C:\Program Files\Apache Group\Apache2\logs\error.log'; (linia 53)
- se adauga dupa exemplul Apache afisarea log-ului PHP
  - \$log_file_php='C:\PHP\php.log';
  - ... + utilizarea acelui fisier (probabil mai tarziu in semestru)
- Indeplinirea temei bonus pe unul din server-ele de referinta necesita investigari mai detaliate legate de locatii/drepturi de acces pe sistemele Linux!!!



Laboratorul de microunde si optoelectronica
http://rf-opto.etti.tuiasi.ro
rdamian@etti.tuiasi.ro